# Intuition 4856

# Intuition 4856

#### **Specifications**

Content	55% post-consumer recycled polyester 34% pre-consumer recycled polyester 11% polyester
Weight	11.2 ± 1.0 oz./lin. yd.
Width	54" min. useable
Repeat	none
Backing	acrylic backcoating
Treatment	stain repellent


## **Cleaning Code**

Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup. May also be disinfected with hydrogen peroxide, alcohol, and quaternary ammonium (quat) based cleaners.

#### **Acoustical Performance**

The plot below summarizes impedance tube measurements of absorption of an anechoic termination and various fabrics in front of the anechoic termination.

#### **Acoustical Performance for Panel Applications** (ISO 10534-2)








法法法法法法法法法 





Charcoal



1720



## MULTI-PURPOSE | UPHOLSTERY PANEL | ACOUSTIC

#### Performance

Colorfastness to Light (AATCC 16.3 Option 3) Grade 4 min. at 40 hours
Colorfastness to Crocking (AATCC 8) Grade 4 min. dry & Grade 3 min. wet
Breaking Strength (ASTM D5034) 210 lbf warp and 200 lbf fill
Seam Slippage (ASTM D4034) <b>30 lbf warp and 45 lbf fill</b>
Pilling Resistance (ASTM D3511) Class 4 min.
Flammability CA Technical Bulletin 117-2013 Section 1 ASTM E84 Class I or A
Abrasion (ASTM D4157) 100,000 double rubs cotton duck

# **Sustainability**



#### Miscellaneous

Proudly woven in North America supporting our local communities.

Application testing of this product is recommended. Colors may vary between dye lots. This is a directional fabric.

#### Visit guilfordofmaine.com for samples.



This pattern is included in the underwriters laboratory panel fabric Inis pattern is included in the underwriters laboratory panel taonc recognitio program. Additional testing of this U.L. recognized component fabric is not required on approved panels from participating manufacturers.

\*Certification Marks owned by the Association for Contract Textiles. Inc

**USA & INTERNATIONAL** 800 544 0200 PHONE 616 554 2255 FAX

CANADA 418 227 9897 PHONE 418 227 9899 FAX