



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318

(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com

Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problem

ACOUSTI-CURTAIN

Estimate for Custom Drapery

Date: _____

Project: _____

Customer Contact Information

Company: _____

Address: _____

City: _____

State: _____

Zip: _____

Contact: _____

Phone: _____

Fax: _____

Email: _____

Product Requirements

1. QUANTITY: _____

2. DIMENSIONS

NOTE: If multiple size curtains are required, please fill out a form for each size required.

A. Desired Width (side to side): _____

B. Desired Height (top edge to bottom edge): _____

3. FABRICS Please refer to the color chart on our website: http://www.acousticalsurfaces.com/acoustical_drapery/acoustical_curtains.htm

A. Face (front): _____

B. Lining (back): _____

4. FULLNESS (optional)

The ratio of the total fabric used to the finished width of a drapery. The fuller the drapery, the smaller the spaces between each pleat.

Example: A curtain rod is 71" wide. A curtain for this rod with 1.5 times fullness is figured like this... (71" x 1.5 = 106.50" total width)

Please specify fullness required: _____

5. RETURNS (optional)

A drapery term, the drapery RETURNS to the wall. It is the section of a drapery, valances or top treatment that folds back and covers the hardware, as well as any under treatment. It is the space from the last pleat to the finished edge of the drapery and requires a minimum 1-1/2 return to allow for the side hems.

Please specify size of return required: _____



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318

(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com

Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problem

6. HANGING METHOD (choose one)

A. Grommets (Choose color and spacing)

NOTE: Standard size is 3/8" interior diameter

NOTE: Center of grommet is located 1 5/8" from top edge of curtain

Brass: _____

Black: _____

Silver: _____

Spacing (required): _____ inches on center (6" standard)

B. Curtain Hooks

NOTE: Curtain hooks are installed flush to the top

Spacing (required): _____ inches on center (6" standard)

C. Loops

NOTE: Loops are sewn from fabric used to create front panel. (See 3A)

Length of loop (measure from top of curtain panel): _____

Spacing (required): _____ inches on center (6" standard)

7. SEAMS

All seams are vertical unless otherwise specified.

8. CORE

All Acoustical Drapes will feature 10oz yard² wool core material. The core material will stop 2" above the bottom hem.

9. ACCESSORIES (optional)

A. Tie backs (made from front panel fabric only): yes / no

B. Fringe (please call): yes / no

10. FOLD BACK ON LEADING EDGE (optional)

If yes then please specify width of fold back in inches (1.5" standard): _____

11. PLEATS (optional)

Flat Pleat (only type available): yes / no

12. COMMENTS



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318

(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com

Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problem

13. ESTIMATE (*office use only*)

Curtain width (final based on options): _____

Curtain height (final): _____

Cost per square foot: _____

Square feet required: _____

Curtain Cost: _____

Lead time: _____

Quoted by: _____

NOTE: Price quotes are good for 30 days from date of quote.
IMPORTANT: These products are custom made and not returnable.

Please copy form, fill in as much information as you can and fax your request back. Our sales department will process your request and fax you a quote. Please make sure to fill out the contact information completely in case we should have any questions or comments regarding this design.

Thank you

Acoustical Surfaces, Inc.
123 Columbia Court North, Suite 201
Chaska, MN 55318
Phone: (952) 448-5300 • (800) 448-0121
Fax (952) 448-2613