

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318 (952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: <a href="mailto:sales@acousticalsurfaces.com">sales@acousticalsurfaces.com</a>
Visit our Website: <a href="mailto:www.acousticalsurfaces.com">www.acousticalsurfaces.com</a>

## We Identify and S.T.O.P. Your Noise Problems

DATE: August 01, 2005

SUPERSEDES: August 01, 2003

### **MATERIAL SAFETY DATA SHEET**

This product is not considered hazardous under OSHA Right-to-Know.

| SECTION 1                  | MATERIAL IDENTIFICATION   |
|----------------------------|---|
| MATERIAL NAME:             | DURACOUSTIC   |
| SUPPLIER:                  | Acoustical Surfaces, Inc.<br>123 Columbia Court North,<br>Suite 201<br>Chaska, MN 55318 |
| FOR MORE INFORMATION CALL: | 1-800-527-6253  |
| CHEMICAL NAME:             | Not Applicable  |
| CHEMICAL FAMILY:           | Not Applicable  |
| FORMULA:                   | Not Applicable  |
| MOLECULAR WEIGHT:          | Not Applicable  |
| SYNONYMS:                  | Not Applicable  |
| CAS NUMBER:                | Not Applicable  |
| CAS NAME:                  | Not Applicable  |

EMERGENCY TELEPHONE NUMBER: (514) 737-6561 — 1-800-295-4126



SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318 (952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: <a href="mailto:sales@acousticalsurfaces.com">sales@acousticalsurfaces.com</a>
Visit our Website: <a href="mailto:www.acousticalsurfaces.com">www.acousticalsurfaces.com</a>

## We Identify and S.T.O.P. Your Noise Problems

**SECTION 2** PHYSICAL DATA **BOILING POINT:** Not Applicable FREEZING POINT: Not Applicable SPECIFIC GRAVITY: Not Applicable  $(H_2O = 1)$ **VAPOR PRESSURE:** Not Applicable @ 20°C VAPOR DENSITY: Not Applicable (Air = 1)**SOLUBILITY IN WATER:** Insoluble (% by weight) PERCENT VOLATILES: Not Applicable (by volume) **EVAPORATION RATE:** Not Applicable (Butyl Acetate = 1) APPEARANCE and ODOR: **Odorless** 

| SECTION 3   |      | HAZARDOUS INGREDIENT | 'S      |
|---|------|----------------------|---------|
| NAME  | CAS# | % BY WEIGHT          | HAZARDS |
| Under OSHA Right-to-Know criteria, this product does not contain hazardous ingredients. |      |                      |         |

| SECTION 4                       |                         | EXPOSURE LIMITS AND TO        | KICOLOGICAL DATA           |
|---------------------------------|-------------------------|-------------------------------|----------------------------|
| <b>TLV-TWA</b><br>ACGIH 1995-96 | <b>LD50</b><br>Rat Oral | <b>LC50</b><br>Rat Inhalation | <b>LD50</b><br>Rabbit Skin |
| Not Applicable                  |                         |                               |                            |

EMERGENCY TELEPHONE NUMBER: (514) 737-6561 - 1-800-295-4126



SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318 (952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: <u>sales@acousticalsurfaces.com</u>
Visit our Website: <u>www.acousticalsurfaces.com</u>

## We Identify and S.T.O.P. Your Noise Problems

### SECTION 5 FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: Not Applicable

FLAMMABLE LIMITS IN AIR, Not Applicable

% by volume:

**EXTINGUISHING MEDIA:** 

Use water, water fog, alcohol-type or all-purpose-type foam by manufacturer's recommended techniques for large fires. Use carbon dioxide or dry chemical media for small fires.

SPECIAL FIREFIGHTING PROCEDURES:

Use self-contained breathing apparatus protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not Available.

| SECTION 6                     | HEALTH HAZARD DATA  |
|-------------------------------|---|
| SWALLOWING:                   | Unlikely route of exposure. No sign of intoxication expected.   |
| SKIN ABSORPTION               | Not absorption expected.  |
| INHALATION:                   | Inhalation of dust generated in cutting operations at room temperature may irritate the respiratory tract. At high temperatures, solvents, monomers (isoprene, styrene and butadiene) and decomposition products (HCN, HCI, CO, CO <sub>2</sub> , SO, SO <sub>2</sub> , H <sub>2</sub> S, benzene, toluene, PAH) may evolve and cause irritation, asphyzia, central nervous system damage and ultimately death. |
| SKIN CONTACT:                 | Dermatitis caused by frequent contact and dust generated by cutting operations.   |
| EYE CONTACT:                  | Irritation from dust generated in cutting operations.   |
| EFFECTS OF REPEATED EXPOSURE: | Dermatitis in "rubber sensitive" individuals.   |

EMERGENCY TELEPHONE NUMBER: (514) 737-6561 — 1-800-295-4126



SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318 (952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: <u>sales@acousticalsurfaces.com</u>
Visit our Website: <u>www.acousticalsurfaces.com</u>

### We Identify and S.T.O.P. Your Noise Problems

| SECTION 7   | PHYSICAL DATA   |
|-------------|---|
| SWALLOWING: | Consult a physician.  |
| SKIN:       | If dermatitis occurs, consult a physician.  |
| EYES:       | If exposed to dust, flush eyes with water for at least 15 minutes. If irritation persists, consult a physician. |
| INHALATION: | Remove to fresh air. Consult a physician if symptoms persist.   |

| SECTION 8                                       | REACTIVITY DATA  |
|---|--|
| STABILITY:                                      | Stable.  |
| CONDITIONS TO AVOID:                            | None currently know.   |
| INCOMPATIBILITY:                                | Avoid Strong acids and organic solvents.   |
| HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS: | Heat decomposition leads to potentially hazardous gases: HCN, HCI, CO, CO <sub>2</sub> , SO <sub>1</sub> ,SO <sub>2</sub> , H <sub>2</sub> S, benzene, toluene, PAH. |
| HAZARDOUS POLYMERIZATION                        | Will not occur.  |
| CONDITIONS TO AVOID:                            | None currently know.   |

SECTION 9 SPILL OR LEAK PROCEDURE

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Collect for Disposal.

WASTE DISPOSAL METHOD: Dispose in compliance with environmental

regulations.

EMERGENCY TELEPHONE NUMBER: (514) 737-6561 - 1-800-295-4126



SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318 (952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: <u>sales@acousticalsurfaces.com</u>
Visit our Website: <u>www.acousticalsurfaces.com</u>

## We Identify and S.T.O.P. Your Noise Problems

| SECTION 10                     | SPECIAL PROTECTION INFORMATION   |
|--------------------------------|--|
| RESPIRATORY PROTECTION:        | Dust mask in cutting operation.  |
| VENTILATION:                   | General room ventilation. Local ventilation in cutting operations.       |
| PROTECTIVE GLOVES:             | Use according to Company's procedures.                                   |
| EYE PROTECTION:                | No specific requirement, but it is good practice to wear safety glasses. |
| OTHER PROTECTIVE<br>EQUIPMENT: | None currently known.  |

#### **SECTION 11**

#### SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

Store away from combustibles and heat.

This information is given in good faith, though no warranty, expressed or implied, can be given since results may vary in accordance with applications.

EMERGENCY TELEPHONE NUMBER: (514) 737-6561 — 1-800-295-4126