



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318

(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com

Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problems



NOISE S.T.O.P.™ Interior/ Exterior Acoustical Windows

**Engineered to be the markets first affordable,
high performance acoustical window**

- A truly affordable high performance noise control window.
- Performance tested & certified at an affordable price.
- STC Ratings of 45 to 59.
- Custom engineered and manufactured to any size at no extra charge.
- Anodized aluminum frames with standard frame finishes of natural aluminum and bronze. Also available in other specialty finishes.
- Quick turnaround delivery upon order!
- Easy Installation. No need for a glazing contractor or special tools required. ASI includes installation instructions and necessary shop drawings.
- Fast and easy do it yourself installation.
- Custom glass available (safety glass, mirror pane, tinted and etc.) Note: using custom glass may change the STC value.
- Note: glass shipped separately to avoid breakage, easy snap in glass installation on job site.
- Noise S.T.O.P. acoustical windows are only available from Acoustical Surfaces, Inc.

Typical Applications:

- Recording Studios
- Commercial Windows
- Industrial
- Military
- Victim/Interrogation Room

Other Window Products Offered:

- Climate Seal - Window Inserts
- Blast Proof / Resistant Windows
- Cinema Port

Continued on next page...



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318

(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com

Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problems


Noise S.T.O.P.™ WINDOW MODEL Studio 4

Features:

- STC rating up to 45.
- Custom sized to fit your needs.
- Extra large units available with mullions.
- Frames available in Clear anodized or Bronze anodized.
- Optional tinted, one-way mirror pane, safety glass and etc.
- 4° angled glass for max acoustical performance
Optional flat glass configuration.

Window Specifications:

- 1" insulated glass unit with 2 pieces of 1/4" laminated glass.
- 4-1/2" aluminum frame.
- Angeled glass for maximum acoustical performance.
- Acoustically treated frames and seals.
- Class A-1 ASTM E-84 Nonflammable Sound Silencer™ acoustical frame insert.
- Fits any wall thickness by inseting or offsetting acoustical window.



Continued on next page...



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318

(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com

Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problems


Noise S.T.O.P.™ WINDOW MODEL Studio 5

Features:

- STC rating up to 49.
- Custom sized to fit your needs.
- Extra large units available with mullions.
- Frames available in Clear anodized or Bronze anodized.
- Optional tinted, one-way mirror pane, safety glass and etc.

Window Specifications:

- 3/8" laminated glass with air cavity and 1/4" laminated glass.
- 4-1/2" aluminum frame.
- Acoustically treated frames and seals.
- Class A-1 ASTM E-84 Nonflammable Sound Silencer™ acoustical frame insert.
- Fits any wall thickness by inseting or off setting acoustical window.



Continued on next page...



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318

(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com

Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problems


Noise S.T.O.P.™ WINDOW MODEL Studio 6

Features:

- STC rating up to 56.
- Custom sized to fit your needs.
- Extra large units available with mullions.
- Frames available in Clear anodized or Bronze anodized.
- Optional tinted, one-way mirror pane, safety glass and etc.
- 4° angled glass for max acoustical performance. Optional flat glass configuration.

Window Specifications:

- One insulated glass unit with 2 pieces of 1/4" laminated glass plus an air cavity and an additional pane of 3/8" laminated glass.
- 6-3/8" Aluminum frame.
- Acoustically treated frames and seals.
- Angeled and flat glass for maximum acoustical performance.
- Class A-1 ASTM E-84 Nonflammable Sound Silencer™ acoustical frame insert.
- Fits any wall thickness by inseting or off setting acoustical window.



Continued on next page...



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318

(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com

Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problems

Noise S.T.O.P.™ WINDOW MODEL Studio 8

Features:

- STC rating up to 59.
- Custom sized to fit your needs.
- Extra large units available with mullions.
- Frames available in Clear anodized or Bronze anodized.
- Optional tinted, one-way mirror pane, safety glass and etc.
- 4° angled glass for max acoustical performance. Optional flat glass configuration.

Window Specifications:

- One insulated glass unit with 2 pieces of 1/4" laminated glass plus an air cavity and an additional pane of 3/8" laminated glass.
- 12-7/8" Aluminum frame.
- Acoustically treated frames and seals.
- Angeled and flat glass for maximum acoustical performance.
- Class A-1 ASTM E-84 Nonflammable Sound Silencer™ acoustical frame insert.
- Fits any wall thickness by inseting or off setting acoustical window.

