



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and S.T.O.P. Your Noise Problems

PAGE: 1 OF 3

HUNTINGDON ENGINEERING & ENVIRONMENTAL, INC.
662 Cromwell Avenue
St. Paul, Minnesota 55114

NOISE REDUCTION COEFFICIENT (NRC)
ASTM 423-90a

Composite Barrier Material

Rendered by Manufacturer and Released to:
Acoustical Surfaces, Inc.
123 Columbia Court North
Chaska, Minnesota 55318

Client Purchase Order Number: 60411
Huntingdon Project Number: 4140 94-1981.2
Date: June 29, 1994

Purchased By:

Michael S. Karcher
Engineering Technician
Mechanical/Metallurgical Department
(612) 659-7326

Reviewed By:

Richard O. Thornalla
Acoustical/Fenestration Supervisor
Mechanical/Metallurgical Department
(612) 659-7310

The test results contained in this report pertain only to the samples submitted for testing and not necessarily to all similar products.

Huntingdon



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We identify and **S.T.O.P.** Your Noise Problems

Huntingdon

PROJECT NUMBER: 4140 94-1981.2

PAGE: 2 of 3

DATE: June 29, 1994

NOISE REDUCTION COEFFICIENT TEST - ASTM C423-90a

INTRODUCTION:

This report presents the results of a Noise Reduction coefficient (NRC) test conducted on a Composite Barrier Material submitted by the Manufacturer. This test was requested by the Manufacturer on June 17, 1994 and was conducted on June 20, 1994.

This report must not be reproduced except in full with the approval of Huntingdon Engineering & Environmental, Inc. the data in this report relates only to the item tested.

Huntingdon has been accredited by the U.S. Department of Commerce and the National Institute of Standards and Technology (NIST, formerly NBS) under their National Voluntary Laboratory Accreditation Program (NVLAP) for conducting this test procedure. This report may not be used to claim product endorsement by NVLAP or any agency of the U.S. Government.

TEST RESULTS SUMMARY:

The NRC of the sample described below is 0.85 (See individual frequency values below under "TEST RESULTS").

SPECIMEN IDENTIFICATION:

Rendered by Manufacturer and Released to: Acoustical Surfaces Inc.

Sample: Composite Barrier Material

Dimensions (W x H x D): 4.5' x 4.7' x 1.25"

Weight: 25 lbs. per specimen

Surface Area: 21.3 ft² per specimen

Total Surface Area Tested: 1.3 ft² – consisting of specimen(s)

Mounting Type: Mounted vertically within a 60-STC filler wall with backside exposed to the reverberation chamber

Specimen Description: – 1" flat foam
– Rubber bonding material
– 1/4" Flat foam

AS MUTUAL PROTECTION TO CLIENTS THE PUBLIC AND OURSELVES, ALL HUNTINGDON ENGINEERING & ENVIRONMENTAL INC. REPORTS ARE SUBMITTED AS THE CONFIDENTIAL INFORMATION OF CLIENTS AND AUTHORIZATION FOR PUBLICATION OF STATEMENTS CONCLUSIONS OR EXTRACTS FROM OR REGARDING OUR REPORTS IS RESERVED PENDING OUR PRIOR WRITTEN APPROVAL.

A member of the  group of companies

• Soundproofing Products • Sonex™ Ceiling & Wall Panels • Sound Control Curtains • Equipment Enclosures • Acoustical Baffles & Banners • Solid Wood & Veneer Acoustical Ceiling & Wall Systems
• Professional Audio Acoustics • Vibration & Damping Control • Fire Retardant Acoustics • Hearing Protection • Moisture & Impact Resistant Products • Floor Impact Noise Reduction
• Sound Absorbers • Noise Barriers • Fabric Wrapped Wall Panels • Acoustical Foam (Egg Crate) • Acoustical Sealants & Adhesives • Outdoor Noise Control • Assistive Listening Devices
• OSHA, FDA, ADA Compliance • On-Site Acoustical Analysis • Acoustical Design & Consulting • Large Inventory • Fast Shipment • No Project too Large or Small • Major Credit Cards Accepted



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and **S.T.O.P.** Your Noise Problems

Huntingdon

PROJECT NUMBER: 4140 94-1981.2

PAGE: 3 of 3
DATE: June 29, 1994

TEST METHOD:

ASTM: C423-90a, "Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method" was followed in every respect.

Absorption coefficients are the fraction of diffuse incident sound absorbed by the specimen and are expressed in sabins per square foot. The NRC is the average of the absorption coefficients for 250, 500, 1000, and 2000 Hertz and is reported to the nearest integral of 0.05.

The temperature and relative humidity of the chamber during the test was 70° F and 48%, respectively.

TEST EQUIPMENT:

| Manufacturer | Model | Description | S/N |
|----------------------|-------|-------------------------------|--------|
| Northern Electronics | NE830 | Real Time Analyzer | 11511 |
| Brüel & Kjær | 3923 | Rotating Microphone Boom | 815424 |
| Larson-Davis | 2560 | Pressure Condenser Microphone | 1032 |

TEST RESULTS:

| Freq. (Hz) | Abs. Coefficient | Uncertainty & |
|------------|------------------|---------------|
| 125 | 0.33 | 5.7 |
| 250 | 0.24 | 32.5 |
| 500 | 0.63 | 1.3 |
| 1000 | 1.23 | 1.1 |
| 2000 | 1.35 | 0.9 |
| 4000 | 1.14 | 0.8 |

Noise Reduction Coefficient (NRC) = 0.85

Freq. = Octave band center frequency
 Abs. Coefficient = Sound absorption coefficient (extended plane applications)
 Sabins per Unit Tested = Reported for samples used as unit absorbers/diffusers
 Uncertainty = % uncertainty of the absorption coefficient for 95% confidence

AS MUTUAL PROTECTION TO CLIENTS THE PUBLIC AND OURSELVES, ALL HUNTINGDON ENGINEERING & ENVIRONMENTAL INC. REPORTS ARE SUBMITTED AS THE CONFIDENTIAL INFORMATION OF CLIENTS AND AUTHORIZATION FOR PUBLICATION OF STATEMENTS CONCLUSIONS OR EXTRACTATIONS FROM OR REGARDING OUR REPORTS IS RESERVED PENDING OUR PRIOR WRITTEN APPROVAL.

A member of the  group of companies

- Soundproofing Products • Sonex™ Ceiling & Wall Panels • Sound Control Curtains • Equipment Enclosures • Acoustical Baffles & Banners • Solid Wood & Veneer Acoustical Ceiling & Wall Systems
- Professional Audio Acoustics • Vibration & Damping Control • Fire Retardant Acoustics • Hearing Protection • Moisture & Impact Resistant Products • Floor Impact Noise Reduction
- Sound Absorbers • Noise Barriers • Fabric Wrapped Wall Panels • Acoustical Foam (Egg Crate) • Acoustical Sealants & Adhesives • Outdoor Noise Control • Assistive Listening Devices
- OSHA, FDA, ADA Compliance • On-Site Acoustical Analysis • Acoustical Design & Consulting • Large Inventory • Fast Shipment • No Project too Large or Small • Major Credit Cards Accepted