

Material Safety Data Sheet Quilted Curtains

Section 1-Chemical Product and Company Identification

Product Name Vinyl Coated Fiberglass Cloth

Rendered by Manufacturer and Released to:

Acoustical Surfaces Inc. 123 Columbia Court North, Suite 201 Chaska, MN 55318

Date Prepared: October 31, 2002

Telephone: 800-448-0121

Emergency Information: 800-569-1294

This product is classified as an "article" under the definitions of the OSHA Hazard Communications Standard 29CFR part 1910.1200. It does not release or otherwise result in exposure to a hazardous substance under normal conditions of use. Processing this material by heat sealing or other processing may, however, result in some hazard.

Excessive heating may result in the generation of hydrogen chloride due to decomposition of the vinyl. (The vinyl will char and give off a very sharp odor.)

If exposed to hydrogen chloride fumes due to excessive heat:

Skin: Flush skin thoroughly with cool water for at least five minutes.

Eyes: Immediately flush eyes with water for at least 15 minutes holding eyelids apart to ensure complete flushing of entire eye and lid tissue. Get medical attention.

Inhalation: Remove to fresh air. If breathing is difficult, administer oxygen. If respiration stops, give mouth-to-mouth resuscitation. Get medical attention.

Normal heat sealing or other hot processing below the decomposition point of the vinyl may result in trace exposure to plasticizer and residual solvent vapors. It is not expected that those vapors would present any health hazard, but adequate ventilation should be provided to prevent the accumulation of vapors. Local exhaust near the hot processing is recommended.

In Case of Fire:

Use water, carbon dioxide or dry chemical. Hydrogen chloride and other toxic gases will be generated. Use self-contained breathing apparatus and full protective equipment.



Guilford of Maine

MATERIAL SAFETY DATA SHEET

Pursuant to 29 CFR 1910.1200 (b)(6)(v) and (c), the product described herein is an "article" or is otherwise excluded from OSHA regulations requiring that a Material Safely Data Sheet be prepared for it; therefore, this MSDS is provided gratuitously, and solely as a matter of convenience.

SECTION I: IDENTIFICATION OF PRODUCT

Product: FR 701® Style 2100 100% Terratex Polyester Panel Fabric

Rendered by Manufacturer and Released to:

Acoustical Surfaces Inc., 123 Columbia Court North, Suite 201, Chaska MN 55318

CAS Number: N/A

Date Prepared: May 20, 1999

SECTION II: PHYSICAL DATA

Boiling Point: N/A Vapor Pressure: N/A Vapor Density: N/A Volatile Volume: <1% Evaporation Rate: N/A Solubility in Water: N/A Reactivity in Water: N/A Specific Gravity (water=1): >1 Melting Temperature- 500° F

SECTION III: FIRE AND EXPLOSION DATA

Flammable Limits: N/A

Auto-Ignition Temperature: Will not self-ignite

Extinguishing Media: Water or other Class A extinguishing agent

SECTION IV: REACTIVITY DATA

Stability: Stable

Conditions to Avoid: N/A Incompatible Materials: None



SECTION V: HEALTH HAZARDS

Threshold Limit Value: N/A

Route(s) of Entry: Inhalation: N/A Skin: N/A Ingestion: N/A

Not Listed as Carcinogen or Potential Carcinogen by:

The National Toxicology Program, I.A.R.C. Program or OSHA

SECTION VI: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken if Material is Released or Spilled: N/A

Waste Disposal Method: Recycle, Approved Incinerator, Landfill Precautions to take in Handling or Storage: Store in a Dry Place

Transportation: DOT Emergency Guide Number N/A

SECTION VII: SPECIAL PROTECTION INFORMATION

Respiratory Protection: Not Required Ventilation: Local Exhaust: Not Required

Eye Protective: Not Required

Other Protective Clothing or Equipment: Not Required

Work Hygienic Practices: N/A

SECTION VIII: REGULATORY STATUS

CERCLA: This material is not subject to CERCLA reporting requirements.

SARA Title III: This material is not subject to reporting requirements under SARA Title III

N/A = Not Applicable

Pursuant to 29 CFR 1910.1200, the product described herein is an "article" or is otherwise excluded from OSHA regulations requiring that a Material Safety Data sheet be prepared for it; therefore, this MSDS is provided gratuitously, and solely as a matter of convenience. The information herein is not to be construed as all inclusive and the manner and conditions of use and handling may require other or additional considerations. The data given and conclusion drawn are from sources believed to be reliable and accurate by Guilford of Maine. Because conditions of use are outside of our control, we make no warranties, express or implied and assume no liability in connection with any use of this information.



Material Name: Vinyl Coated Fabrics and Films

*** Section 1 - Chemical Product and Company Identification ***

Chemical Name: Polyvinyl chloride (PVC)
Product Use: Coated fabrics and wall coverages

Synonyms: None

Rendered by Manufacturer and Released to:

Acoustical Surfaces Inc.

123 Columbia Court North, Suite 201

Chaska, MN 55318

Phone: 800-448-0121

Emergency# 1-800-424-9300 (CHEMTREC)

ID: GCC-001

NOTE: CHEMTREC telephone number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals. All non-emergency questions should be directed to customer service.

*** Section 2 – Composition / Information on Ingredients ***

CAS#	Component	Percent
9002-86-2	PVC (Chloroethylene, Polymer	< 50
68332-61-6	Hexanedioic acid, polymer with 1.4-butanediol and 1.2-propanediol, 2-ethylhexyl ester	20-40
68515-48-0	1.2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	20-40
1317-65-3	Calcium Carbonate	<15
7439-92-1	Lead	0-4
7440-36-0	Antimony	0-3
7758-97-6	Lead Chromate	0-1

Component Related Regulatory Informative

This product may be regulated, have exposure limits or other information identified as the following: Phthalate esters, Lead compounds, Chromates, Chromium (VI) (18540-29-9). Chromium (VI) compounds (certain water insoluble forms), Chromium (7440-47-3).

Component Information/Information on Non-Hazardous Components

Exact composition of products will vary with each individual product. All ingredients listed above may not always be included in final product. This product has been evaluated under criteria specified in 29 CFR 1910.1200 (Hazard Communication).

*** Section 3 - Hazards Identification ***

Emergency Overview

Product is a solid plastic film. <u>During normal use this product is not expected to be a hazard.</u> The metallic elements contained in the film are not expected to be biologically available if ingested or inhaled. Thermal processing fumes may cause irritation to the eyes, skin and respiratory system. Toxic fumes may be released upon combustion.

Potential Health Effects: Eyes

During normal use, no significant eye irritation can be expected from contact with this product. Eye contact with dusts may cause irritation.

Potential Health Effects: Skin

This product is not expected to cause irritation. Contact with dusts or thermal processing fumes may cause irritation.

Potential Health Effects: Ingestion

Ingestion of this product is unlikely, however, ingestion may cause nausea, vomiting and diarrhea. The metallic elements contained in this product are not expected to be biologically available. However, ingestion of large amounts may produce toxicity due to lead ingestion.

Potential Health Effects: Inhalation

Dusts may cause irritation to noise, throat and respiratory system. Inhalation of thermal processing fumes may cause respiratory tract irritation. Extreme thermal processing may release vinyl chloride which can cause cancer.

HMIS Ratings: Health: 1* Fire: 1 Reactivity: 0 Pers. Prot: See section 8 of this MSDS.

Page 1 of 7 Issue Date: 01/20/99 revision: 1.0000 Print Date: 2/27/2004



Material Name: Vinyl Coated Fabrics and Films

ID: GCC-001

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic Hazard

*** Section 4 - First Aid Measures ***

First Aid: Eyes

In case of contact with dusts or particulate matter, immediately flush eyes with plenty of water for 15 minutes.

First Aid: Skin

For skin contact, wash with soap and water. If irritation develops, get medical attention.

First Aid: Ingestion

If the material is swallowed, get immediate medical attention or advice.

First Aid: Inhalation

If inhalation of gas/flame/vapor/dust/mist from the material is excessive (air concentration is greater than the TLV or health effects are noticed), immediately remove the affected person(s) to fresh air.

First Aid: Notes to Physician

Provide general supportive measures and treat symptomatically.

*** Section 5 - Fire Fighting Measures ***

Method Used: Not available

Lower Flammable Limit (LFL): Not available

Flammability Classification: Non-flammable

Flash Point: Not available

Upper Flammable Limit (UFL): Not available

Auto Ignition: Not applicable

Rate of Burning: Not available

General Fire Hazards

Product is a solid material which will burn with a slow, smoldering flame upon heating to high temperatures.

Hazardous Combustible Products

Decomposition may yield hydrogen chloride, carbon monoxide, carbon dioxide and low molecular weight hydrocarbons.

Extinguishing Media

Dry chemical, foam, carbon dioxide, water fog.

Fire Fighting Equipment/Instructions

Firefighters should wear full protective clothing including self contained breathing apparatus. Firefighters should avoid inhaling any combustion products.

NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0 Other:

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

*** Section 6 - Accidental Release Measures***

Containment Procedures

Due to the physical nature of this material, containment is not necessary.

Clean-Up Procedures

Reroll, sweep, shovel, or vacuum up material. place in appropriate container for disposal.

Evacuation Procedures

Evacuation should not be necessary.

Special Procedures

*** Section 7 - Handling and Storage***

Handling Procedures

Do not breathe dust. Avoid breathing fumes if this product is used at high temperatures. Use this product with adequate ventilation.

Storage Procedures

Keep this material in a cool, well-ventilated place. Store below 120° F to minimize volatilization of plasticizer.

Page 2 of 7 Issue Date: 01/20/99 Revision: 1.0000 Print Date: 2/27/2004



ID: GCC-001

*** Section 8 - Exposure Controls / Personal Protection ***

Exposure Guidelines

A: General Product Information

Follow all applicable exposure limits.

ACGIH exposure limit for mixed phthalate esters is 5mg/m3, 8 hr TWA.

B: Component Exposure Limits

Calcium Carbonate (1317-65-3)

ACGIH: 10 mg/m3 TWA (The value for total dust containing no asbestos and <1% crystalline silica)

OSHA: total dust 15 mg/m3 TWA; respirable fraction: 5 mg/m3 TWA

NIOSH: total: 10 mg/m3 TWA; respirable dust: mg/m3 TWA

Lead (7439-92-1)

ACGLIH: 0.05 mg/m3 TWA

OSHA: as Pb: 50 ug/m3 TWA PEL; 30 ug/m3 action level: Poison (sec 29 CFR 1910.1025) NIOSH: a Pb: 0.100 mg/m3 TWA; see Appendix C for supplementary exposure limits

Antimony (7440-36-0)

ACGIH as Sb: 0.5 mg/m3 TWA
OSHA: as Sb: 0.5 mg/m3 TWA
NIOSH 0.5 mg/m3 TWA
Lead chromate (7758.97-6)

ACGIH: as Cr. 0.012 mg/m3 TWA; as Pb: 0.05 mg/m3 TWA OSHA: (as Cr): 1 mg/m3 TWA (related to Chromium)

Chromic acid and chromates: C 0.1 mg/m3 (related to Chromates)

NIOSH: as CrO3: 0.001 mg/m3 TWA; NIOSH Potential Occupational Carcinogen - see Appendix A; see Appendix C

for supplementary exposure limits (related to Chromates)

Engineering Controls

Use general ventilation.

PERSONAL PROTECTIVE EQUIPMENT

Personal Protective Equipment: Eyes/Face

Wear safety glasses during processing.

Personal Protective Equipment: Skin

Wear Impervious gloves during processing.

Personal Protective Equipment: Respiratory

If ventilation is not sufficient to effectively remove and prevent buildup of dusts or processing fumes, appropriate

NIOSH/MSHA approved respiratory protection must be provided.

Personal Protective Equipment: General

Use good industrial hygiene practices in handling this material.

*** Section 9 - Physical & Chemical Properties ***

Plastic film Characteristic Odor: **Appearance:** pH: **Physical State:** Solid Not applicable Vapor Pressure: Not applicable Vapor Density: Not applicable **Boiling Point:** Not applicable **Melting Point:** Not applicable Solubility (H2O: Not soluble Specific Gravity: 1.20 1.70 **Freezing Point: Percent Volatile:** Not applicable < 2.0

Molceular Weight: Mixture

Physical Properties: Additional Information

None Available

*** Section10 - Chemical Stability & Reactivity Information ***

Chemical Stability

Stable

Page 3 of 7 Issue Date: 01/20/99 Revision: 1.0000 Print Date: 2/27/2004



Material Name: Vinyl Coated Fabrics and Films ID: GCC-001

Chemical Stability: Conditions to AvoidAvoid temperatures above 250° F.

Incompatibility

This product is not reactive.

Hazardous Decomposition

Decomposition may yield hydrogen chloride, carbon dioxide, carbon monoxide and other low molecular weight hydrocarbons.

Hazardous Polymerization

Hazardous polymerization will not occur.

*** Section 11 - Toxicological Information ***

Acute Toxicity

A: General Product Information

No data available for the product. Significant adverse health effects would not be anticipated with normal use. However, thermal processing of the product can emit fumes and vapors which may cause eye, skin, and respiratory system irritation. The metallic elements contained in this product are not expected to be biologically available; however, ingestion of large amounts may produce toxicity. Acute lead toxicity may produce symptoms including nausea, vomiting, abdominal cramping, neuritis and body aches. Chronic exposure to lead may cause central nervous system and peripheral nervous system effects including: behavioral disturbances, sleep disturbances, fatigue, vertigo, headache, poor memory, tremor, and depression. Lead may damage the blood forming system and produce anemia. Lead is also toxic to the kidney and can have serious effects on reproductive function in both males and females.

B: Component Analysis - LD50/LC50

Antimony (**7440-36-0**) Oral LD50 Rat : 7 gm/kg **Lead chromate** (**7758-97-6**) Oral LD50 Mouse: >12 gm/kg

Carcinogenicity

A: General Product Information

No carcinogenicity data available for this product. Thermal processing of polyvinyl chloride may release vinyl chloride vapors. Vinyl chloride is a human carcinogen and has produced tumors of the liver, brain, lungs, blood, and digestive system. Product contains lead chromate which is a suspect human carcinogen. However, the metallic elements contained in this product are not expected to be biologically available.

B: Component Carcinogenicity

PVC (Chlorocthylene, Polymer) (9002-86-2)

IARC: Monograph 19, Supplement 7; 1987 (Group 3 (not classifiable))

Lead (7439-92-1)

ACGIH: elemental, as Pb A3 – animal carcinogen

OSHA: as Pb: 50 ug/m3 TWA PEL; 30 ug/m3 action level; Poison (see 20 CFR 1910.1025)

IARC: Monograph 23, Supplement 7; 1987 (and lead compounds; evaluated as a group) (Group 2B (sufficient animal data))

Lead chromate (7758-97-6)

ACGIH: as Cr: A2 suspected human carcinogen; as Pb: A2-suspected human carcinogen

NIOSH: occupational carcinogen (related to Chromates)

NTP: Known Carcinogen; (under Chromium and Certain Chromium Compounds) (Select Carcinogen)

IARC: Monograph 49; 1990 (Chromium (VI) compounds; evaluated as a group) (related to Chromium (VI) (Group 1

(carcinogenic to humans))

Epidemiology

No information available for the product.

Neutrotoxicity

No data available for this product.

Mutagenicity

No data available for this product. Lead, antimony and chromium VI compounds have been reported to cause chromosomal aberrations in bacterial and/or mammalian cells. However, the metallic elements in this product are not expected to be biologically available.

Page 4 of 7 Issue Date: 01/20/99 Revision: 1.0000 Print Date: 2/27/2004



Material Name: Vinyl Coated Fabrics and Films

ID: GCC-001

Teratogenicity:

No data available for this product. Lead can affect both the male and female reproductive organs as well as egg and sperm production and development. Lead can also cause, can also affect neurodevelopment in children from both prenatal and postnatal exposures. Chromium VI compounds have cause birth defects and affected fertility in laboratory animals. However, the metallic elements of this product are not expected to be biologically available.

Other Toxicological information

No information available.

*** Section 12 - Ecological Information ***

Ecotoxicity

A: General Product Information

This product, if released into the environment, would be expected to produce significant toxicity to aquatic ecosystems.

B: Component Analysis - Ecotoxicity - Aquatic Toxicity

Lead chromate (7758-97-6)

LC50 (96 hr) fathead minnow: 36.2 mg.L; LC50 (96 hr) striped catfish: 200 mg/L. (related to Chromium (VI))

Environmental Fate

No data is available concerning environmental fate, biodegradation or bioconcentration for this product.

*** Section 13 - Disposal Considerations***

US EPA Waste Number & Descriptions

A: General Product Information

Waste should be tested using methods described in 40 CFR part 261 to determine if it meets applicable of hazardous wastes.

B: Component Waste Numbers

Lead (7439-92-1)

RCRA: waste number D008; regulatory level = 5.0 mg/L

Lead chromate (7758-97-6)

RCRA: waste number D007; regulatory level = 5.0 mg/L (related to Chromium)

Disposal Instructions

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

*** Section 14 - Transportation Information ***

US DOT information

Shipping Name: Not regulated as hazardous

Hazard Class: Not applicable UN/NA #: Not applicable Packing Group: Not applicable Required Label(s): None Additional Info.: None

International Transportation Regulations

Not regulated as dangerous goods

*** Section 15 - Regulatory Information ***

US Federal Regulations

A: General Products Information

No additional Information.

B. Component Analysis

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) and/or CERCLA (40 CFR 302.4).

Page 5 of 7 Issue Date: 01/20/99 Revision: 1.0000 Print Date: 2/27/2004

800.527.6253 952.448.5300 952.448.2613 www.acousticalsurfaces.com



Material Name: Vinyl Coated Fabrics and Films ID: GCC-001

Lead (7439-92-1)

SARA 313 form R reporting required for 0.1% de minimis concentration

CERCLA: final RQ = 10 pounds (4.54 kg)

Antimony (7440-36-0)

SARA 313 form R reporting required for 0.1% de minimis concentration

CERCLA: final RQ = 5000 pounds (2270 kg) (no reporting of releases of this hazardous substance is required if the

diameter of the pieces of solid metal released is equal to or exceeds 0.004 inches)

Lead chromate (7758.97-6)

SARA 313 form R reporting required for 0.1% de minimis concentrations (related to Chromium (VI))

CERCLA: final RQ = 5000 pounds (2270 kg) (no reporting of releases of this hazardous material is required if the diameter

of the pieces of the solid metal released is equal to or exceeds 0.004 inches) (related to Chromium)

State Regulations

A: General Product Information

Other state regulations may apply. Check individual state requirements.

B: Component Analysis – State

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS#	CA	FL	MA	MN	NJ	PA
1.2-Benzenedicarboxylic acid, di-C8-10-branched alkyl	68515-48-0	Yes ¹	No	No	No	No	Yes ¹
Hexancdioic acid, polymer with 1.4-butanediol and 1.2 - propanediol, 2-ethylhexyl ester (¹ related to Phthalate esters)	68332-61-6	Yes¹	No	No	No	No	Yes ¹
Calcium Carbonate	1317-65-3	No	No	Yes	Yes	No	Yes ¹
Lead	7439-92-1	Yes	Yes	Yes	Yes	Yes	Yes
Antimony	7440-36-0	Yes	Yes	Yes	Yes	Yes	Yes
Lead chromate (1 related to Chromium)	7758-97-6	Yes	Yes ¹	Yes	Yes	Yes	Yes

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical know to the state of California to cause cancer.

WARNING! This product contains a chemical know to the state of California to cause reproductive/developmental effects.

Other Regulations

A: General Product Information

All components are listed on the TSCA inventory.

B: Component Analysis – Inventory

Component	CAS#	TSCA	DSL	EINECS
PVC (Chlorocthylene, Polymer)	9002-86-2	Yes	Yes	No
1.2-Benzenedicarboxylic acid, di-C8-10 branched alkyl esters, C9-rich	68515-48-0	Yes	Yes	Yes
Hexanedioic acid, polymer with 1.4-butanediol and 1.2 propanediol, 2-ethylbexyl ester	68332-61-6	Yes	Yes	No
Calcium Carbonate	1317-65-3	Yes	Yes	Yes
Lead	7439-92-1	Yes	Yes	Yes
Antimony	7440-36-0	Yes	Yes	Yes
Lead chromate	7758-97-6	Yes	Yes	Yes

C: Component Analysis – WHMIS IDL

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Page 6 of 7 Issue Date: 01/20/99 Revision: 1.0000 Print Date: 2/27/2004



ID: GCC-001

Material Name: Vinyl Coated Fabrics and Films

Component	CAS#	Minimum Concentrating		
Lead	7439-92-1	0.1% item 937 (1435)		
Antimony	7440-36-0	1% item 122 (251)		
Lead chromate	7758-97-6	0.1% item 934 (550)		

*** Section 16 - Other Information ***

Other Information

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

Key/Legend

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP - National Toxicology Program; OSHA = Occupational Safety and Health Administration; NFPA – National Fire Protection Association; HMIS = Hazardous Material Identification System; CERCLA Comprehensive Environmental Response, Compensation and Liability Act, SARA = Superfund Amendments and Reauthorization Act

Contact: Dan Gottschalk Contact Phone: (662) 329-7778

This is the end of MSDS # GCC-001

Page 7 of 7 Issue Date: 01/20/99 Revision: 1.0000 Print Date: 2/27/2004